



Patient Information	Specimen Information	Client Information
JIANG, XUEWEI DOB: 03/13/1993 AGE: 30 Gender: F Fasting: U Phone: NG Patient ID: NG	Specimen: EN475045Y Requisition: 1825545 Collected: 11/17/2023 / 09:49 PST Received: 11/18/2023 / 02:07 PST Reported: 11/21/2023 / 04:00 PST	Client #: 90404410 MAIL0000 KHORSANDI, AMIN AMIN KHORSANDI MD 2222 SANTA MONICA BLVD STE 301 SANTA MONICA, CA 90404-2307

Test Name	In Range	Out Of Range	Reference Range	Lab
HEPATITIS B SURFACE ANTIBODY QL		REACTIVE	NON-REACTIVE	EN
RPR (DX) W/REFL TITER AND CONFIRMATORY TESTING	NON-REACTIVE		NON-REACTIVE	EN
QUANTIFERON (R)-TB GOLD PLUS, 1 TUBE	NEGATIVE		NEGATIVE	EN
	Negative test result. M. tuberculosis complex infection unlikely.			
NIL	0.06		IU/mL	
MITOGEN-NIL	7.42		IU/mL	
TB1-NIL	0.00		IU/mL	
TB2-NIL	<0.00		IU/mL	

The Nil tube value reflects the background interferon gamma immune response of the patient's blood sample. This value has been subtracted from the patient's displayed TB and Mitogen results.

Lower than expected results with the Mitogen tube prevent false-negative Quantiferon readings by detecting a patient with a potential immune suppressive condition and/or suboptimal pre-analytical specimen handling.

The TB1 Antigen tube is coated with the M. tuberculosis-specific antigens designed to elicit responses from TB antigen primed CD4+ helper T-lymphocytes.

The TB2 Antigen tube is coated with the M. tuberculosis-specific antigens designed to elicit responses from TB antigen primed CD4+ helper and CD8+ cytotoxic T-lymphocytes.

For additional information, please refer to <https://education.questdiagnostics.com/faq/FAQ204> (This link is being provided for informational/educational purposes only.)

Tdap
&
Flu
Vaccine
only

PERFORMING SITE:

EN QUEST DIAGNOSTICS-WEST HILLS, 8401 FALLBROOK AVENUE, WEST HILLS, CA 91304-3226 Laboratory Director: TAB TOOCHINDA, MD, CLIA: 05D0642827



Patient Information	Specimen Information	Client Information
LU, YANXIN DOB: 10/17/1989 AGE: 34 Gender: NG Fasting: N Phone: NG Patient ID: NG	Specimen: EN477413Y Requisition: 5950008 Collected: 11/17/2023 Received: 11/18/2023 / 02:40 PST Reported: 11/18/2023 / 15:52 PST	Client #: 90404410 MAIL0000 KHORSANDI, AMIN AMIN KHORSANDI MD 2222 SANTA MONICA BLVD STE 301 SANTA MONICA, CA 90404-2307

Test Name	In Range	Out Of Range	Reference Range	Lab
HEPATITIS B SURFACE ANTIBODY QL	NON-REACTIVE		NON-REACTIVE	EN
VARICELLA ZOSTER VIRUS ANTIBODY (IGG) Index	1232.00		index	EN

<135.00	Negative - Antibody not detected			
135.00 - 164.99	Equivocal			
> or = 165.00	Positive - Antibody detected			

A positive result indicates that the patient has antibody to VZV but does not differentiate between an active or past infection. The clinical diagnosis must be interpreted in conjunction with the clinical signs and symptoms of the patient. This assay reliably measures immunity due to previous infection but may not be sensitive enough to detect antibodies induced by vaccination. Thus, a negative result in a vaccinated individual does not necessarily indicate susceptibility to VZV infection. A more sensitive test for vaccination-induced immunity is Varicella Zoster Virus Antibody Immunity Screen, ACIF.

RPR (DX) W/REFL TITER AND CONFIRMATORY TESTING	NON-REACTIVE	NON-REACTIVE	EN
--	--------------	--------------	----

PERFORMING SITE:

EN QUEST DIAGNOSTICS-WEST HILLS, 8401 FALLBROOK AVENUE, WEST HILLS, CA 91304-3226 Laboratory Director: TAB TOOCHINDA,MD, CLIA: 05D0642827

Hep B
 Flu
 Tdap.
 Angel@
 Coral Clinics.com



Patient Information	Specimen Information	Client Information
LU, YANXIN DOB: 10/17/1989 AGE: 34 Gender: M Fasting: N Phone: NG Patient ID: NG	Specimen: EN458728Y Requisition: 1825546 Collected: 11/17/2023 / 09:44 PST Received: 11/17/2023 / 22:52 PST Reported: 11/22/2023 / 03:11 PST	Client #: 90404410 MAIL0000 KHORSANDI, AMIN AMIN KHORSANDI MD 2222 SANTA MONICA BLVD STE 301 SANTA MONICA, CA 90404-2307

Test Name	In Range	Out Of Range	Reference Range	Lab
QUANTIFERON (R) -TB GOLD PLUS, 1 TUBE		POSITIVE	NEGATIVE	EN
		In healthy persons who have a low likelihood of M. tuberculosis infection, a single positive QFT result should not be taken as reliable evidence of M. tuberculosis infection. Repeat testing, with either the initial test or a different test, may be considered on a case-by-case basis.		
NIL	0.18		IU/mL	
MITOGEN-NIL	7.96		IU/mL	
TB1-NIL	0.03		IU/mL	
TB2-NIL	0.70		IU/mL	

The Nil tube value reflects the background interferon gamma immune response of the patient's blood sample. This value has been subtracted from the patient's displayed TB and Mitogen results.

Lower than expected results with the Mitogen tube prevent false-negative Quantiferon readings by detecting a patient with a potential immune suppressive condition and/or suboptimal pre-analytical specimen handling.

The TB1 Antigen tube is coated with the M. tuberculosis-specific antigens designed to elicit responses from TB antigen primed CD4+ helper T-lymphocytes.

The TB2 Antigen tube is coated with the M. tuberculosis-specific antigens designed to elicit responses from TB antigen primed CD4+ helper and CD8+ cytotoxic T-lymphocytes.

For additional information, please refer to <https://education.questdiagnostics.com/faq/FAQ204> (This link is being provided for informational/educational purposes only.)

PERFORMING SITE:

EN QUEST DIAGNOSTICS-WEST HILLS, 8401 FALLBROOK AVENUE, WEST HILLS, CA 91304-3226 Laboratory Director: TAB TOOCHINDA,MD, CLIA: 05D0642827